



1. What is Cialis®?

Cialis® (Tadalafil) is an FDA-approved oral prescription medication for the treatment of erectile dysfunction (ED) in men. It is available 5 mg, 10 mg, and 20 mg tablets and is taken only when needed. Take Cialis® no more than once a day.

2. How Does Cialis® Work?

When a man is sexually stimulated, his body's normal physical response is to increase blood flow to his penis. This results in an erection. Cialis® helps increase blood flow to the penis and may help men with ED get and keep an erection satisfactory for sexual activity. Once a man has completed sexual activity, blood flow to his penis decreases, and his erection goes away.

3. Who Should not take Cialis®?

Do not take Cialis® if you: take any medicines called "nitrates". Nitrates are commonly used to treat angina. Angina is a symptom of heart disease and can cause pain in your chest, jaw, or down your arm. Medicines called nitrates include nitroglycerin that is found in tablets, sprays, ointments, pastes, or patches. Nitrates can also be found in other medicines such as isosorbide dinitrate or isosorbide mononitrate. Some recreational drugs called "poppers" also contain nitrates, such as amyl nitrate and butyl nitrate. Do not use Cialis® if you are using these drugs. Ask your doctor or pharmacist if you are not sure if any of your medicines are nitrates. Take medicines called "alpha blockers", other than Flomax® 0.4 mg daily. Alpha blockers are sometimes prescribed for prostate problems or high blood pressure. If Cialis® is taken with alpha blockers other than Flomax® 0.4 mg daily, your blood pressure could suddenly drop to an unsafe level. You could get dizzy and faint. You have been told by your healthcare provider to not have sexual activity because of health problems. Sexual activity can put an extra strain on your heart, especially if your heart is already weak from a heart attack or heart disease. Are allergic to Cialis® or any of its ingredients. The active ingredient in Cialis® is called tadalafil.

4. How should you take Cialis®?

For most men, the recommended starting dose is 10 mg. Cialis® should be taken no more than once a day. Some men can only take a low dose of Cialis® because of medical conditions or medicines they take. If you have kidney problems, you must start you on a lower dose of Cialis®.

Take one Cialis® tablet before sexual activity. In some patients, the ability to have sexual activity was improved at 30 minutes after taking Cialis® when compared to a sugar pill. The ability to have sexual activity was improved up to 36 hours after taking Cialis® when compared to a sugar pill. Some form of sexual stimulation is needed for an erection to happen with Cialis®. Cialis® may be taken with or without meals.

Do not drink alcohol to excess when taking Cialis® (for example, 5 glasses of wine or 5 shots of whiskey). When taken in excess, alcohol can increase your chances of getting a headache or

getting dizzy, increasing your heart rate, or lowering your blood pressure. If you take too much Cialis®, call your doctor or emergency room right away.

5. Is this Cialis® Real Brand Name Medication or Counterfeit Generic tablets?

Pharmacy will only ship REAL Brand Name tablets. There is no such thing as a generic Cialis® legal in the United States. Sites selling these counterfeit medications from international locations outside the US And Canada are involving you in an international fraud. Whatever the source you chose for medications, make sure your getting REAL tablets from a real licensed pharmacy and your information is being reviewed by a licensed doctor.

6. When will I receive my order?

Customers can expect fast shipping via Priority. Orders are processed Monday - Friday. Weekend Orders Ship On Monday.

7. How are they shipped?

The packages are sent to your door in a discreet envelope using the priority service where available. Most orders at your door in under 7 days. All Orders shipped and approved by Canadian Doctors and Canadian Pharmacies.

8. What Is The Proper Dosage?

Take Cialis® about 1 hour before sexual activity. The recommended starting dose of Cialis® is 10mg for most men. Lower doses may be effective for men to get and keep an erection satisfactory for sexual activity.

9. Will Cialis® cause an erection?

No. You must first be sexually aroused to get an erection. If you take Cialis® and are not sexually stimulated, nothing will happen. If however you are sexually stimulated within the next several hours, your erection will generally be firm and long lasting. When the sexual encounter is over, the erection goes away.

10. Is Cialis® effective for Diabetics?

Cialis® has been shown to be effective in men over the age of 18 years who have erectile dysfunction, including men with diabetes or who have undergone prostatectomy.

11. Are there any side effects?

What are the possible side effects of Cialis®? The most common side effects with Cialis® are headache, indigestion, back pain, muscle aches, flushing, and stuffy or runny nose. These side effects usually go away after a few hours. Patients who get back pain and muscle aches usually get it 12 to 24 hours after taking Cialis®. Back pain and muscle aches usually go away by themselves within 48 hours. Call your doctor if you get a side effect that bothers you or one that will not go away.

Cialis® may uncommonly cause:

An erection that won't go away (priapism). If you get an erection that lasts more than 4 hours, get medical help right away. Priapism must be treated as soon as possible or lasting damage can happen to your penis including the inability to have erections. Seek medical attention at a local health center immediately if this occurs. Vision changes, such as seeing a blue tinge to objects or having difficulty telling the difference between the colors blue and green. These are not all the side effects of Cialis®. For more information, ask your doctor or pharmacist.

12. How should Cialis® be stored?

Store Cialis® at room temperature between 59 and 86F (15 and 30C). Keep Cialis® and all medicines out of the reach of children.

13. How do I know which Cialis® option is best for me?

Daily vs 36 Hour Cialis		
BENEFIT	CIALIS for Daily Use	36-Hour CIALIS
<p>When taken every day, allows you to be ready <i>anytime</i>. This may be a good low dose option for men who anticipate frequent sexual activity (twice a week or more).</p>	X	
<p>Is taken only when needed. This option:</p> <ul style="list-style-type: none"> • Works fast (in as little as 30 minutes in some men)* • Lasts long—one dose can work for up to 36 hours* <p><small>* Individual results may vary. Not studied for multiple attempts per dose.</small></p>		X
<p>Works effectively:</p> <ul style="list-style-type: none"> • For mild, moderate, or severe ED (erectile dysfunction) • In men with ED who also have other medical conditions, such as diabetes and high blood pressure 	X	X
<p>No need to plan doses around meals.</p>	X	X
<p>Lets you choose the moment that's right for you and your partner.</p>	X	X

* Individual results may vary. In clinical trials, when taken as needed, 36-hour Cialis® was shown to improve, up to 36 hours after dosing, the ability of men with ED to have a single, successful intercourse attempt. 36-hour Cialis® has not been studied for multiple attempts

14. Who do I turn to if I have a problem?

We work very hard maintain excellence. The pharmacy will ship you only real Brand Name tablets, that way you will be sure that the quality is what you expect. Each package includes a

written receipt, 1-800 number contact information, your doctor's name, 100 percent compliant pharmacy labels.